JACOBSEN

5 piece timber frame with raised centre panel, inframe effect



JACOBSEN Taupe Grey & Fjord

JACOBSEN

REAL TIMBER

DOOR SPECIFICATION:

CONSTRUCTION:
5 piece timber shaker with raised centre panel, inframe effect

BASE MATERIAL:
Ash

DOOR THICKNESS:
20mm

FINISH:
Painted

DOOR EDGES:
Matches face

RAILS & STILES:
90mm wide

CENTRE PANEL:
Veneered

PAINT TO ORDER + BESPOKE COLOURS

CASHMERE	DUSKY PINK	ROSE	SUPER WHITE	WHITE	PORCELAIN	CHALKSTONE	MUSSEL
STONE	REGIMENT	TAUPE GREY	PEBBLE GREY	DAKAR	STONE GREY	LAVA	WHITE GREY
LIGHT GREY	SILVER GREY	DUST GREY	ONYX GREY	ANTHRACITE	SAGE GREEN	FRENCH GREY	FJORD
AMAZON GREEN	FIR GREEN	VIRIDIAN	REED GREEN	DENIM	SMOKE BLUE	CORNFLOWER	MIDNIGHT BLUE
SAPPHIRE BLUE	INDIGO BLUE	PARISIAN BLUE	MARINE				

	PTO
Stock door	15 working days plus delivery
Made to measure sizes	✓
No. of accessories	39
Curved doors	X

Jacobsen - Paint to Order

5 piece timber frame with raised centre panel, inframe effect



JACOBSEN Chalkstone & Indigo

DESCRIPTION:
5 piece timber frame with raised centre panel, inframe effect

DOOR THICKNESS:
20mm

BASE MATERIAL:
Solid ash frame, veneered centre panel

COVERING MATERIAL:
Painted

FINISH:
Matt painted with visible timber grain

JAPT 36 STANDARD PTO COLOURS

Use the prefix **JAPT** and also specify one of the **36 PTO standard colours** below:


LEAD TIME
15 WORKING DAYS



JAPB 2600+ BESPOKE COLOURS

TKC colour match to **RAL** and **FARROW & BALL** references,
ENSURING YOU'LL NEVER LOSE A SALE ON COLOUR AGAIN!

Please note that when using Farrow & Ball and/or RAL references, due to variations in substrates and sheen levels, finished colours may vary compared to the reference.
TKC CANNOT ACCEPT LIABILITY FOR ANY SUCH VARIATIONS.



Jacobsen - Doors

5 piece timber frame with raised centre panel, inframe effect

Code	Description	Paint to Order (36)	Paint to Order Bespoke
prefix-**115597SLAB**	115 x 597mm slab	£	£
prefix-**140297SLAB**	140 x 297mm slab	£	£
prefix-**140397SLAB**	140 x 397mm slab	£	£
prefix-**140447SLAB**	140 x 447mm slab	£	£
prefix-**140497SLAB**	140 x 497mm slab	£	£
prefix-**140597SLAB**	140 x 597mm slab	£	£
prefix-**140797SLAB**	140 x 797mm slab	£	£
prefix-**140897SLAB**	140 x 897mm slab	£	£
prefix-**140997SLAB**	140 x 997mm slab	£	£
prefix-**175397SLAB**	175 x 397mm slab	£	£
prefix-**175497SLAB**	175 x 497mm slab	£	£
prefix-**175597SLAB**	175 x 597mm slab	£	£
prefix-**283497**	283 x 497mm	£	£
prefix-**283597**	283 x 597mm	£	£
prefix-**283797**	283 x 797mm	£	£
prefix-**283897**	283 x 897mm	£	£
prefix-**283997**	283 x 997mm	£	£
prefix-**355497**	355 x 497mm	£	£
prefix-**355597**	355 x 597mm	£	£
prefix-**355797**	355 x 797mm	£	£
prefix-**355897**	355 x 897mm	£	£
prefix-**355997**	355 x 997mm	£	£
prefix-**450597**	450 x 597mm	£	£
prefix-**495397**	495 x 397mm	£	£
prefix-**495597**	495 x 597mm	£	£
prefix-**570297**	570 x 297mm	£	£
prefix-**570397**	570 x 397mm	£	£
prefix-**570447**	570 x 447mm	£	£
prefix-**570497**	570 x 497mm	£	£
prefix-**570597**	570 x 597mm	£	£
prefix-**645597**	645 x 597mm	£	£
prefix-**715147SLAB**	715 x 147mm slab	£	£
prefix-**715297**	715 x 297mm	£	£
prefix-**715273SINGLE**	715 x 273mm single	£	£
prefix-**715273PR**	715 x 273mm pair	£	£
prefix-**715315SINGLE**	715 x 315mm single	£	£
prefix-**715315PR**	715 x 315mm pair	£	£
prefix-**715347**	715 x 347mm	£	£
prefix-**715397**	715 x 397mm	£	£
prefix-**715447**	715 x 447mm	£	£
prefix-**715497**	715 x 497mm	£	£
prefix-**715547**	715 x 547mm	£	£
prefix-**715597**	715 x 597mm	£	£
prefix-**715397PF**	715 x 397mm plain frame	£	£
prefix-**715397GF**	715 x 397mm georgian frame (3 panes)	£	£
prefix-**715497GF**	715 x 497mm georgian frame (5 panes)	£	£
prefix-**895497GF**	895 x 497mm georgian frame (5 panes)	£	£
prefix-**1060497GF**	1060 x 497mm georgian frame (5 panes)	£	£
prefix-**895297**	895 x 297mm	£	£
prefix-**895397**	895 x 397mm	£	£
prefix-**895447**	895 x 447mm	£	£
prefix-**895497**	895 x 497mm	£	£
prefix-**895597**	895 x 597mm	£	£
prefix-**980597**	980 x 597mm	£	£

Jacobsen - Doors & Accessories

5 piece timber frame with raised centre panel, inframe effect


Code	Description	Paint to Order (36)	Paint to Order Bespoke
prefix-**1245297**	1245 x 297mm	£	£
prefix-**1245397**	1245 x 397mm	£	£
prefix-**1245497**	1245 x 497mm	£	£
prefix-**1245597**	1245 x 597mm	£	£


Jacobsen - Accessories


Code	Description	Paint to Order (36)	Paint to Order Bespoke
prefix-**CORNICE**	cornice: 65 x 3050 x 81mm	£	£
prefix-**TRADCORNICE**	traditional cornice: 74 x 3050 x 110mm	£	£
prefix-**CORPEL**	cornice/ light pelmet: 28 x 3000 x 50mm	£	£
prefix-**LTPELMET**	light pelmet: 29 x 3050 x 55mm	£	£
prefix-**QCORBLK**	quadrant end cornice block: 65 x 92 x 92mm	£	£
prefix-**TRADQBLOCK**	traditional quadrant end cornice block: 74 x 125 x 125mm	£	£
prefix-**QCORPELBLOCK**	quadrant end cornice/light pelmet block: 28 x 52 x 52mm	£	£
prefix-**PLINTH**	plinth: 150 x 3040 x 18mm	£	£
prefix-**2450QUADRANT**	quadrant end moulding: 3050 x 50 x 70mm	£	£
prefix-**CURMDPLINTHB**	quadrant moulded pilaster base 150 x 64 x 64mm	£	£
prefix-**MOULDPLINTH**	moulded skirting plinth: 150 x 3050 x 20mm	£	£
prefix-**30MMCRPOST**	30mm corner post: 720 x 30 x 30mm	£	£
prefix-**715BCRPOSTPR**	internal corner posts: 715 x 70 x 20mm (2no.)	£	£
prefix-**CANOPY**	canopy: 705 x 1000 x 181mm (no routered frame)	£	£
prefix-**720200SETCHY**	chopping board & tray set 720 x 200mm	£	£
prefix-**900650T&G**	t&g end panel: 900 x 650 x 19mm*	£	£
prefix-**9001200T&G**	t&g end panel: 900 x 1200 x 19mm*	£	£
prefix-**2450910T&G**	t&g end panel: 910 x 2450 x 19mm*	£	£
prefix-**960360T&G**	t&g end panel: 960 x 360 x 19mm*	£	£
prefix-**18MMT&GENDPAN**	t&g end panel: 2430 x 650 x 19mm*	£	£
prefix-**900650PAN**	plain end panel: 900 x 650 x 19mm	£	£
prefix-**9001200PAN**	plain end panel: 900 x 1200 x 19mm	£	£
prefix-**2450910PAN**	plain end panel: 910 x 2450 x 19mm	£	£
prefix-**960360PAN**	plain end panel: 960 x 360 x 19mm	£	£
prefix-**18MMPLNENDPAN**	plain end panel: 2430 x 650 x 19mm	£	£
prefix-**3000POST**	tall feature end post: 3000 x 50 x 75mm	£	£
prefix-**900PILASTER**	box pilaster: 900 x 100 x 100mm	£	£
prefix-**900MODPILAST**	modular pilaster: 900 x 75 x 75mm	£	£
prefix-**2400MODPILAS**	modular pilaster: 2400 x 75 x 75mm	£	£
prefix-**PILASTERBEAD**	pilaster bead: 910 x 20 x 20mm	£	£
prefix-**1752MANTLESH**	mantle shelf: 130 x 1752 x 170mm for working mantle	£	£
prefix-**MANTLECORBA**	corbals: 166 x 90 x 125mm (2no.) for working mantle	£	£
prefix-**MANTLECORLRG**	large mantle corbal: 850 x 150 x 448mm includes 2 fixing brackets	£	£
prefix-**SHELFEDGING**	edge moulding: 27 x 3050 x 47.5mm	£	£
prefix-**MANTLEDOORS**	mantle door: 628 x 300 x 20mm for working mantle (includes routered frame)	£	£
prefix-**MANTLERAILS**	mantle bottom rails: 50 x 300 x 20mm (2no.) for working mantle	£	£
prefix-**MANTLEUNDERP**	under panel: 18 x 1200 x 549mm for working mantle	£	£
prefix-**UNDERPLINTH**	under plinth: 20 x 3000 x 60mm	£	£
prefix-**CASRAIL**	castellated rail: 20 x 2400 x 40mm	£	£


Jacobsen - Accessories


5 piece timber frame with raised centre panel, inframe effect



Cornice



Traditional Cornice



Cornice / Light Pelmet



Light Pelmet


Quadrant End Cornice Block


Traditional Quadrant End Cornice Block



Quadrant End Cornice Block



Plinth



Quadrant End Moulding



Quadrant Moulded Pilaster Base



Moulded Skirting Plinth



L Corner Wall Corner Post



Corner Post (pair)



Canopy



Chopping Board & Tray Set



End Panel



T&G End Panel



Tall feature end post



Box Pilaster



Modular Pilaster



Modular Pilaster Bead



Mantle Shelf



Mantel Corbal



Large Mantel Corbal


Edge Moulding


Mantle Door


Mantle Bottom Rails


Mantle Under Panel


Under Plinth


Castellated Rail


T&G end panels: All T&G end panels are plain on the reverse for dual purpose.

* T&G and grain direction on this panel runs along the 900mm height.


Jacobsen - MTO Accessories

5 piece timber frame with raised centre panel, inframe effect


Code	Description	Paint to Order (36)	Paint to Order Bespoke
prefix-**1700MANTSHLF**	mantle shelf assembly: 204 x 1700	£	£
prefix-**1800MANTSHLF**	mantle shelf assembly: 204 x 1800	£	£
prefix-**1900MANTSHLF**	mantle shelf assembly: 204 x 1900	£	£
prefix-**MODERNCANOPY**	modern canopy: 575 x 1000 x 300 (includes routered frame)	£	£
prefix-**OVERMANTLKIT**	overmantle: various widths x 1150 x 450 - min (w): 1400, max (w): 1900 - please confirm width	£	£
prefix-**777X325FDPANEL**	framed end panel (wall): 777 x 325 no dividing rail (no routered frame)	£	£
prefix-**957X325FDPANEL**	framed end panel (wall): 957 x 325 no dividing rail (no routered frame)	£	£
prefix-**720FRAMDPNLA**	framed end panel (island): 720 x 595-901 - please confirm width (includes routered frame)	£	£
prefix-**720FRAMDPNLB**	framed end panel with vertical dividing rail (island): 720 x 901-1200 - please confirm width (includes routered frame)	£	£
prefix-**870FRAMDPNLA**	framed end panel (island): 870 x 595-901 wide - please confirm width (no routered frame)	£	£
prefix-**870FRAMDPNLB**	framed end panel (island): 870 x 901-1200 - vertical dividing rail - please confirm width (no routered frame)	£	£
prefix-**2120X595FPNL**	framed end panel (larder): 2120 x 595 - horizontal dividing rail (no routered frame)	£	£




Mantle Shelf Assembly




Modern Canopy




Overmantle




Framed End Panel




Framed End Panel




Framed End Panel with vertical dividing rail



Framed End Panel with 150 Bottom Rail (Island)




Framed End Panel with vertical dividing rail & 150 bottom rail (Island)



Framed End Panel (larder with cross rail

PLEASE NOTE: PRICES LISTED ARE NET AND ARE NOT SUBJECT TO DISCOUNT

MTO Jacobsen 18mm Panels - PTO										Lead time: **20 DAYS**			
H/W	150mm	300mm	400mm	450mm	500mm	600mm	700mm	800mm	700mm	910mm	1000mm	1100mm	1200mm
100mm	£	£	£	£	£	£	£	£	£	£	£	£	£
200mm	£	£	£	£	£	£	£	£	£	£	£	£	£
300mm	£	£	£	£	£	£	£	£	£	£	£	£	£
400mm	£	£	£	£	£	£	£	£	£	£	£	£	£
500mm	£	£	£	£	£	£	£	£	£	£	£	£	£
600mm	£	£	£	£	£	£	£	£	£	£	£	£	£
800mm	£	£	£	£	£	£	£	£	£	£	£	£	£
900mm	£	£	£	£	£	£	£	£	£	£	£	£	£
1000mm	£	£	£	£	£	£	£	£	£	£			
1100mm	£	£	£	£	£	£	£	£	£	£			
1250mm	£	£	£	£	£	£	£	£	£	£			
1500mm	£	£	£	£	£	£	£	£	£	£			
1600mm	£	£	£	£	£	£	£	£	£	£			
1700mm	£	£	£	£	£	£	£	£	£	£			
2000mm	£	£	£	£	£	£	£	£	£	£			
2200mm	£	£	£	£	£	£	£	£	£	£			
2300mm	£	£	£	£	£	£	£	£	£	£			
2500mm	£	£	£	£	£	£	£	£	£	£			



Jacobsen MTO 18mm Panels
Paint to Order

"Pricing is calculated using the next size up in the matrix. For example, if you require a panel that is 465(h) x 423(w), the price would be based on 490(h) x 447(w) panel."



JACOBSEN Indigo & Chalkstone

Jacobsen - MTO Doors/Frames

5 piece timber frame with raised centre panel, inframe effect

MTO Jacobsen Slab Drawer fronts (include routerline) - PTO										Lead time: **30 DAYS**			
H/W	150mm	300mm	400mm	450mm	500mm	550mm	600mm	700mm	800mm	900mm	1000mm	1100mm	1200mm
115mm	£	£	£	£	£	£	£	£	£	£	£	£	£
140mm	£	£	£	£	£	£	£	£	£	£	£	£	£
160mm	£	£	£	£	£	£	£	£	£	£	£	£	£
175mm	£	£	£	£	£	£	£	£	£	£	£	£	£
215mm	£	£	£	£	£	£	£	£	£	£	£	£	£

Please check your order *confirmation carefully, orders cannot be changed after 24 hours. If you have any queries about Made to Measure please contact us on* **0161 336 36 36** *ext. 1939 or* **mtm@tkc.co.uk** *prior to ordering*



Jacobsen Slab Drawer fronts

Minimum height 50mm •
Minimum width 140mm

MTO Jacobsen Doors (include routerline) - PTO									Lead time: **30 DAYS**			
H/W	300mm	400mm	450mm	500mm	550mm	600mm	700mm	800mm	900mm	1000mm	1100mm	1200mm
283mm	£	£	£	£	£	£	£	£	£	£	£	£
325mm	£	£	£	£	£	£	£	£	£	£	£	£
355mm	£	£	£	£	£	£	£	£	£	£	£	£
450mm	£	£	£	£	£	£	£	£				
490mm	£	£	£	£	£	£	£	£				
570mm	£	£	£	£	£	£	£	£				
685mm	£	£	£	£	£	£	£	£				
715mm	£	£	£	£	£	£	£	£				
895mm	£	£	£	£	£	£	£	£				
1060mm	£	£	£	£	£	£	£	£				
1250mm	£	£	£	£	£	£	£	£				
1425mm	£	£	£	£	£	£	£	£				
1465mm	£	£	£	£	£	£	£	-				



Jacobsen doors

No cross rail
Minimum door height 256mm
Minimum door width 256mm

MTO Jacobsen Larder/Wardrobe Doors (include routerline)- PTO							Lead time: **30 DAYS**
H/W	300mm	400mm	450mm	500mm	550mm	600mm	700mm
1495mm	£	£	£	£	£	£	£
1595mm	£	£	£	£	£	£	£
1735mm	£	£	£	£	£	£	£
1965mm	£	£	£	£	£	£	£
2155mm	£	£	£	£	£	£	£
2250mm	£	£	£	£	£	£	£
2400mm	£	£	£	£	£	£	£

Doors over 1465 require cross rails. Please specify number of rails and position when ordering.
Price is the same for either 1,2 or 3 cross rails.



Jacobsen Larder doors

Doors over 1465 require cross rails

MTO Jacobsen Plain Frame (include routerline)- PTO										
H/W	300mm	400mm	450mm	500mm	550mm	600mm	700mm	800mm	900mm	1000mm
283mm	£	£	£	£	£	£	£	£	£	£
355mm	£	£	£	£	£	£	£	£	£	£
570mm	£	£	£	£	£	£	£			
715mm	£	£	£	£	£	£	£			
895mm	£	£	£	£	£	£	£			
1060mm	£	£	£	£	£	£	£			
1250mm	£	£	£	£	£	£	£			
1465mm	£	£	£	£	£	£	£			

LEAD TIME
30 WORKING DAYS



Jacobsen Plain Frames

Minimum height 220mm
Minimum width 220mm
Glass is not included.

Please note: MTO prices are net and not subject to discount.

Please check your order *confirmation carefully, orders cannot be changed after 24 hours. If you have any queries about Made to Measure please contact us on* **0161 336 36 36** *ext. 1939 or* **mtm@tkc.co.uk** *prior to ordering*

Jacobsen - MTO Frames

5 piece timber frame with raised centre panel, inframe effect

MTO Jacobsen Georgian Frame Doors (include routerline) - PTO						
H/W	400mm	450mm	500mm	550mm	600mm	700mm
715mm	£	£	£	£	£	£
895mm	£	£	£	£	£	£
1060mm	£	£	£	£	£	£
1245mm	£	£	£	£	£	£
1465mm	£	£	£	£	£	£

Prefix codes Jacobsen

PTO: **JAPT**

LEAD TIME
30 WORKING DAYS



Jacobsen Georgian Frame MTO doors

Minimum height 715mm • Minimum width 300mm
Number of panes depends on height. Glass is not included.

MTO Jacobsen Single Glazed Doors (include routerline) - PTO						
H/W	400mm	450mm	500mm	550mm	600mm	700mm
715mm	£	£	£	£	£	£
895mm	£	£	£	£	£	£
1060mm	£	£	£	£	£	£
1245mm	£	£	£	£	£	£
1465mm	£	£	£	£	£	£

Prefix codes Jacobsen

PTO: **JAPT**

LEAD TIME
30 WORKING DAYS



Jacobsen Georgian Frame MTO doors

Minimum height 715mm • Minimum width 300mm
Top Pane Height 222.5mm (unless otherwise identfied)
Glass is not included.

MTO Jacobsen Gothic Frame Doors (include routerline) - PTO				
H/W	500mm	550mm	600mm	700mm
715mm	£	£	£	£
895mm	£	£	£	£
1060mm	£	£	£	£
1250mm	£	£	£	£
1465mm	£	£	£	£

Prefix codes Jacobsen

PTO: **JAPT**

LEAD TIME
30 WORKING DAYS



Jacobsen Gothic Frame MTO doors

*Minimum height 715mm * Minimum width 500mm*
Glass is not included.

